

Revised 10/04

CORRES. CONTROL
INCOMING LTR NO.

00525 RF 04

DUE DATE

ACTION

DIST.	LTR	ENC
BERARDINI, J.H.	X	
BOGNAR, E.S.	X	
BROOKS, L.	X	
BUTLER, L.		
CARPENTER, M.	X	
CIUCCI, J.A.		
CROCKETT, G. A.		
DECK, C. A.	X	
DEGENHART, K. R.		
DEL VECCHIO, D.	X	
DIETER, T. J.		
FERRERA, D. W.	X	
GIACOMINI, J. J.		
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L. A.	X	
NAGEL, R. E.	X	
NESTA, S.		
NORTH, K.	X	
SHELTON, D. C.	X	
SPEARS, M. S.	X	
TUOR, N. R.	X	
WIEMELT, K.	X	
WILLIAMS, J. L.		
ZAHM, C.	X	

COR. CONTROL	X
ADMIN. RECORD	X
PATS/130	

Reviewed for Addressee
Corres. Control RFP

11/09/04
Date By

Ref. Ltr. #

DOE ORDER #

5400.1

RECEIVED

2004 NOV -9 P 12:00

STATE OF COLORADO

Bill Owens, Governor
Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, Colorado

Laboratory Services Division
8100 Lowry Blvd.
Denver, Colorado 80230-6928
(303) 692-3090

<http://www.cdphe.state.co.us>



Colorado Department
of Public Health
and Environment

November 2, 2004

Mr. Joseph A. Legare
Director, Project Management Division
U.S. Department of Energy, Rocky Flats Project Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

Dear Mr. Legare:


The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the Final PDSR for the second floor and exterior of Building 707, Revision 0, dated October 20, 2004. Based on the information contained in this PDSR, we are hereby approving the document and agree that the report identifies that these portions of Building 707 meet the radiological unrestricted release criteria.

If you have any questions regarding this correspondence, please contact me at (303) 692-3367, or Edd Kray at (303) 966-2115.

Sincerely,

Steven H. Gunderson
RFCA Project Coordinator

cc: Edd Kray, CDPHE
Mark Aguilar, EPA
Sam Garcia, EPA
Dave Shelton, Kaiser-Hill
Administrative Record, T130G



ADMIN RECORD

B707-A-000148